



(844)278-03-48, (473)204-51-73, (343)384-55-89, (843)206-01-48,
(861)203-40-90, (391)204-63-61, (495)268-04-70, (846)206-03-16,
(831)429-08-12, (383)227-86-73, - - (863)308-18-15,
- (812)309-46-40, (845)249-38-78, (347)229-48-12
- rtx@nt-rt.ru
- rextex.nt-rt.ru

13-0023

UT300B

.....	-18 ... 280 °C
.....	10:1
.....	0.1°
.....	0.5
.....	(HOLD): +
.....	(SCAN): +
.....	(°C, °F): +
.....	23 ± 2°
Повторяемость:	±2 ±2%
.....	< ± 0.5 °C или < ± 0.5 %
.....	145 * 80 * 40
.....	185



13-0024

UT301C

.....	-18 ... 550 °
.....	± 1.8° ± 2%
.....	± 0.5° ± 0.5%
.....	0.1°
.....	12:1
.....	0.25
.....	8 ... 14
.....	Laser class (II); < 1
.....	630-670
Время ожидания дисплея:	8 секунд
.....	0.1 1.0 0.01
.....	9 (6F22)
.....	17.7 16.4 5.2
.....	322



13-2023

Mastech MS6520

.....	-20 ... 500° ± (1.5% + 2°), -4 * 932° ± (1.5% + 4X)
.....	± 0.1° / ± 0.1° *
(D.S).....	10:1; ° / °
.....	0.95
Time.....	1
.....	MAX, MIN,
.....	9
.....	142 * 92 * 47
.....	141



13-2024	Mastech MS6530H
	-30...300 ° ±(1.5 + 2 °)
	10:1
	0.1 °
	1
	(HOLD): + (SCAN): +
	(MIN): + (MAX): + (AVG): +
(° , °F): +	0.95
	152 * 130 * 38
Тип батареи:	9 В Крона
	145



13-0021	UT341
	0 — 55 ± 3 dgt
	56 — 1000 ± (3.0 % + 1 dgt)
	1
	9999
	2000
	9 B
	22 * 22
	144.2



13-0022	UT342
	0 — 55 ± 3 dgt
	56 — 1000 ± (3.0 % + 1 dgt)
	0 — 55 ± 3 dgt
	56 — 1000 ± (3.0 % + 1 dgt)
	1
	9999
	2000
	9
	22x22
	144.2

